New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Camden County Residents

1	Constant WIN ATRO Catalogue		lescent *		Pediat				Tota	
⊥.	Current HIV/AIDS Category	Cases	%		Cases	% 	_		ases	응
	AIDS-Any OI AIDS-CD4 Only HIV Only	174 457 644	36 51		6 0 7	4 5 	0 4		180 457 651	14 35 51
	Total	1275			13	10			1288	100
2.	Current Age * Cases %		Eth.		Adult/ Cases	;		용	Tota Cases	%
	<pre><5 # # 5-12 # # 13-19 6 0 20-29 75 6 30-39 448 35</pre>	White Black Hispa Other	, Not Hisp , Not Hisp nic /Unknown	oanic oanic	353 582	28 46 25 1	0 6 7	0 46 54 0	353 588	27 46 26 1
	40-49 512 40 50+ 234 18 Unk. 0 0	Total			1275			100	1288	
	Total 1288 100									
Д	Patient Group		Adult/Adolescent Transmission Modes **							
1.	racient Group		Males	%		Femal			Tota	al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		353 256 39 69 155	40 29 4 8 18		11 16 11			36 3 23 27	53 28 59 29 39 3 36 19 71 21
	Total		872			39	6 100		126	
			Males	Peo %	diatric	Femal	es %		les Tota	al %
	Parent at risk/has AIDS/HIV Risk not reported/other***		 # #	 # #			 # # # #			# # # #
	Total		11	100			9 100			20 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2002.
- ** 7 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Camden County Residents

Adult/Adolescent*

1. Disease Category

PCP Other OI w	/o PCP		347 (23) 443 (29)	288 (83) 335 (76)) (38) 5 (62)		(80)	357 (459 (23) 30)	296 (83) 344 (75)
KS Alone			26 (2)	22 (85)	((0)	0	(.)	26 (2)	22 (85)
No Disease	Listed		694 (46)	237 (34)) (0)		(.)	694 (237 (34)
Total			1510 (100)	882 (59)	26	(100)	17	(65)	1536 (1	.00)	899 (59)
					Adult/A	Adl*	Pediatr	ic*	Total		
2. Age *	Cases	용	3. Race/	Eth.	Cases	9	Cases	%	Cases	용	
Under 5	20	1	White	, Not Hispanic	#	#	#	#	524	34	
5-12	6	0	Black	, Not Hispanic	627	42	8	31	635	41	
13-19	9	1	Hispa	•	354	23	17	65	371	24	
20-29	251	16	-	/Unknown	#	#	#	#	6	1	
30-39	668				"						
40-49	409	27	Total		1510	100	26	100	1536	100	
Over 49	173	11									
Unknown	0	0									
Total	1536	100									

Cases (%) Deaths (%) Cases (%) Deaths (%) Cases (%)

Pediatric*

Total

Deaths (%)

4.	Patient Group	Adult/Adolescent Transmission Modes **								
		Males	용	Females	8	Total	용			
	Men sex with men (MSM)	560	48	0	0	560	37			
	Injection drug user (IDU)	354	30	122	36	476	32			
	MSM/IDU	72	6	0	0	72	5			
	Heterosexual contact	58	5	146	44	204	14			
	Risk not reported/other***	128	11	67	20	195	13			
	Total	1172	100	335	100	1507	100			

	Males	Pediatrio	Transmi: Females	ssion Modes	Total	%
Parent at risk/has AIDS/HIV Risk not reported/other***	13 5	72 28	11 0	100	24 5	83 17
Total	18	100	11	100	29	100

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 3} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Camden County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	8	8	100%
1985	13	13	100%
1986	33	33	100%
1987	36	35	97%
1988	41	39	95%
1989	76	70	92%
1990	74	65	88%
1991	100	86	86%
1992	143	118	83%
1993	162	115	71%
1994	146	92	63%
1995	145	85	59%
1996	98	40	41%
1997	107	40	37%
1998	62	16	26%
1999	88	6	7%
2000	84	21	25%
2001	63	12	19%
2002	57	5	9%
Total	1536	899	59%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Camden County Residents

1.	Age *	Cases	્ર	2. I	Race/Ethni	city	Adult, Cases			ediat ses			Total Cases	%
				-										
	Under 5	#	#		White, Not	_				#	#		186	26
	5-12	#	#		Black, Not	Hispanic				6	60		333	47
	13-19	20	3		Hispanic		:			#	#		183	26
	20-29	182		(Other/Unkn	own	1.	4 2		0	0		14	2
	30-39	331	46	-										
	40-49	132	18		Total		70	6 100		10	100		716	100
	Over 49	41	6											
	Unknown	0	0											
	Total	716	100											
3.	Patient Gr	oup				Ac	dult/Adol	escen	ıt Trans	missi	on Mo	des **		
		-				Males	%		Females	%		Total	%	
	Men sex wi	 th men (M	ISM)			174	38		0	0		174	25	
	Injection of	drug user	(IDU)			135	29		73	30		208	29	
	MSM/IDU	,	, ,			18	4		0	0		18	3	
	Heterosexu	al contac	:t.			4.4	10		98	40		142	20	
	Risk not re			*		88	19		76	31		164		
	Total					459	100		247	100		706	100	

	Males	Pediatric %	Transmis Females	ssion Modes	Total	00
Parent at risk/has AIDS/HIV	#	#	#	#	10	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	10	100

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- $\star\star$ 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: Includes only those persons known to be infected with HIV. These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Camden County Residents

1.	Current HI	V/AIDS Category		Adult/Ado	olescent *			liatr s	ic *		Cas	Tota] es	L %	
		ol Only			 # # 32		1	# #	 # # 26		 8 6 7	42	37 31	
	Total			2213				9				52	100	
2.	_	Cases %	3.			Adult Cases	S	%	Ca	ses	ric*		Cases	
	Under 5 5-12 13-19 20-29 30-39	33 1 # # 31 1 498 22 1006 45		Black, No Hispanic	ot Hispanic ot Hispanic known	95 53	# 53 34 #	# 43 24 #		15	# 38 51 #			32 43 25 1
	40-49	486 22 191 8 # #		Total		221	13	100		39	100		2252	100
	Total	2252 100												
4.	Patient Gr	coup			Ad									
					Males				emales			Total		
	Injection MSM/IDU Heterosexu Risk not r	th men (MSM) drug user (IDU) al contact reported/other**			734 489 90 102	45 30 6 6 13			0 195 0	0 34 0 42 25		734 684 90	33 4 31 0 4 5 16 9 16	
	Total				1631			_	582			2213		
					Males	%		F	ransmi: emales	%		Total		
	Parent at Risk not r	risk/has AIDS/H reported/other**			17 5	77 23			17 0	100			4 87 5 13	

22 100 17 100 39 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of

coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Camden County Residents

5. $\mbox{HIV/AIDS}$ Cases by Year of First $\mbox{HIV/AIDS}$ Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	10	9	90%
1985	22	22	100%
1986	52	43	83%
1987	62	55	89%
1988	66	54	82%
1989	99	86	87%
1990	145	101	70%
1991	184	118	64%
1992	251	119	47%
1993	190	86	45%
1994	205	76	37%
1995	175	73	42%
1996	148	31	21%
1997	131	30	23%
1998	104	17	16%
1999	123	12	10%
2000	118	20	17%
2001	92	8	9%
2002	74	#	#
Unknown	#	#	#
Total	2252	964	43%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.